

Walk-and-Talk™

Interactive Panel



Walk-and-Talk

Interactive Panel



Engage Your Audience

Designed to interact with large screen projection in auditoriums or provide group collaboration in small project rooms, the Walk-and-Talk Interactive Panel converts your computer into a robust and dynamic tablet PC, bringing greater interaction with your audience. Project and interact with your computer by writing directly on the panel screen or use the stylus to highlight key points, annotate your presentation, or capture new thoughts.

Easy to Use

With its high resolution 17" display panel, you have the ability to communicate ideas easily and effectively. Adjust the panel to any angle and enjoy a versatile, comfortable, and smooth writing experience.

The Walk-and-Talk Interactive Panel was designed to be easy to use and works equally well for both advanced users and novices. It is uniquely designed to enable instant plug-and-play capability with its patented PolyKey™ technology. This innovative driver is always available on the end of the USB cable, installs as easily as a printer, and since there is no complex application software to learn, allows you to use the applications you already know.

Freedom to Move

The Walk-and-Talk remote control, a patented PolyVision exclusive, provides the freedom to move around the room and interact with your audience. All the presentation controls are in the palm of your hand, allowing you to drive your presentation from anywhere in the room. Access the controls privately, yet maintain control of the presentation.

Features and Benefits

- User friendly – control and mark up any projected image using your finger or stylus
- PolyKey technology – the Walk-and-Talk driver is always available at the panel, enabling any user to walk-up-and-use the panel
- Remote control – allows you to drive your presentation from anywhere in the room
- Capture and save – use any dry-erase markers to capture writing or drawings in four colors
- USB or serial interface – allows a wide range of equipment to be connected to your Interactive Panel without unsightly cabling
- No application software required – eliminates the need for CD installation or internet software download prior to product use
- Projector output port – eliminates the need for a video splitter

No Software to Learn

PolyVision Walk-and-Talk products are designed to let you work the way you are used to. There is no additional application or notebook software to learn, allowing you to maximize the investment you have made in learning the tools you use today.

Capture and Save

Capturing notes or drawings on the Interactive Panel is as easy as using a digital camera; simply press the "Save" button on the remote control and a capture is created on your computer. This simple step instantly captures everything written or drawn on the Interactive Panel so you can print, email, fax, or upload your notes to the web.

Maximize Your Space

Add additional remote control receivers to allow remote control operation in large auditoriums (>30' in size).

Optimize Your Projection Surface

Project your presentations brilliantly with PolyVision's Echo™ Projection Screen. Echo's sleek, borderless European design, trimmed in satin anodized aluminum, fits anywhere you need to project images. Its unique arms allow Echo to clear items that may be wall-mounted beneath; just adjust the depth of the screen, to a maximum of 14". Available in two sizes: 72" x 72" to 96" x 96".

Add Wireless Projection

The Interactive Panel works extremely well in conjunction with wireless projection technologies offered by many projection manufacturers, as well as third party wireless adapters.

Combine Your Interactive Panel with a Plasma

Combine the Interactive Panel with a plasma for an ideal solution for classroom teaching and for presentations to small groups.



Remote Control




PolyKey Technology



Echo Projection Screen

Walk-and-Talk

Technical Specifications



Interactive Panel (IP17) Features

- Flat panel display/TFT active matrix with fluorescent backlight
- 16.7 million colors supported
- 220 cd/m² brightness
- HD15 analog video input and output connections
- Anti-scratch protective glass on display screen
- Electromagnetic technology
- Resolution: 1280 x 1024 pixels
- Pitch: 0.264
- Contrast Ratio: 450:1
- Weight: 10.2 lb (4.62kg)

Accessories (Included)

- Active stylus with two replacement tips (requires one AAA battery, included)
- Walk-and-Talk remote control with two AA batteries
- Remote control receiver
- 120/240V power supply, with 6' (1.8m) cable
- 6' (1.8m) USB cable with PolyKey
- 6' (1.8m) input and 12" (30mm) output HD15 VGA video cables
- Stylus and remote control holders

Computer Requirements

Microsoft® Windows®

- Windows 98, ME, 2000, XP, or Vista®
- 256 MB RAM
- Two available USB ports

Apple® Macintosh®

- OS 10.2 and above
- Power PC or Intel processor
- 256 MB RAM (higher screen resolution requires more memory)
- Two available USB ports

Environmental

- 32°F (0°C) to 105°F (40°C), 10%-90% humidity, non-condensing

Options

- Free Webster® software for Windows or Macintosh
- Additional remote control receiver (IP 101)

Certifications

- ETL, FCC Class A Certified, CE

Warranty

- Two-year limited warranty

Simple. Effective. Extraordinary.
The way communication should be.



Environmental Policy: PolyVision strives for continuous improvement in all areas of environmental stewardship – responsible use of raw materials and natural resources, design processes and operation of all facilities – to protect, replenish, and restore the communities in which we live and serve.

PolyVision Corporation

1.800.620.POLY

www.polyvision.com

info@polyvision.com

PolyVision®
A Steelcase Company